



Set.Detect.Protect

Security Products Catalogue



info@eussonet.com

www.eussonet.com

1-14 **Cameras**

AHD Cameras & Hybrid DVRs	Page 1
Eussoguard AHD Cameras + Hybrid DVRs	Page 2
AHD Cameras + Hybrid DVRs	Page 3
Eussoguard CCTV Cameras	Page 4
IP Cameras With NVR	Page 5
Sports HD Camera	Page 6
IR-110 IP Wireless/ Wired Camera	Page 7
Waterproof IR Network Camera	Page 8
Eussonet High Quality Cameras	Page 9
Phone Camera	Page 10
Car Camera Recorder	Page 11
All Use Cameras	Page 12
Special Features Cameras	Page 13
Video Intercom	Page 14

15 **DVR Collection**

DVR Collection: 4,8 & 16 Channel	Page 15
----------------------------------	---------

16 **Accessories**

Surveillance Systems& Accessories	Page 16
-----------------------------------	---------

17 **Combo**

Security Recording System	Page 17
---------------------------	---------

18-19 **Tools &Kits**

Networking Tools Kits	Page 18
WireTracker & Crimping Tools	Page 19

20 **Access Control**

Access Control Solution	Page 20
-------------------------	---------

21 **Alarm System**

Wireless Alarm Systems	Page 21
------------------------	---------

22 **Hot Spot Printer**

Wireless Subscriber Gateway & Hotspot Printer	Page 22
---	---------

23 **Solar System**

Solar Systems & Kit	Page 23
---------------------	---------

24 **LED Display**

LED Board Display	Page 24
-------------------	---------

25 **Scooters**

Electric Self Balancing Scooters	Page 25
----------------------------------	---------

26 **Barriers**

High Speed Barriers & Gate Motors	Page 26
-----------------------------------	---------

27-29 **Road Safety**

Parking Locks	Page 27
Speed Bumps	Page 28
Wheel Stopper	Page 29

EN HD17RC71- *HD AHD DOME Camera*

1.0 Megapixel - 720P - 3.6MM - IP66

**1.0
MP****EN HW30RC71 - *HD AHD Camera***

1.0 Megapixel - 720P - 3.6MM - IP66

**1.0
MP****EN HD12RC72- *HD AHD DOME Camera***

1.3 Megapixel 720P - 2.8~12MM - IP66

**1.3
MP****EN HW67RC72 - *HD AHD Camera***

1.3 Megapixel - 720P - 2.8~12MM - IP66

**1.3
MP****Taiwan
Quality****DVRs :
4 Channels
Up To 16 Channels****Supports: AHD,
Analog
& IP Cameras****G0604H
HDMI 720P****Channel 4****AHD HYBRID****G0608H
HDMI 720P****Channel 8****AHD HYBRID****G0616H
HDMI 720P****Channel 16****AHD HYBRID**

EN 7236T - HD AHD Camera**Waterproof**, 1.3 Megapixel - 36 LED, 2.8~12mm LENS**1.3
MP****EN 8136T- HD AHD DOME Camera****Waterproof** 1.3 Megapixel - 36 LED, 2.8~12mm LENS**1.3
MP****EN 1188C
Pinhole AHD**

Camera 1.3 Megapixel

**1.3
MP****EN EU-213AHD****eyeFish AHD** Camera
360 degree
1.3 Megapixel**1.3
MP****EN PTZ AHD720P****PTZ AHD** 1.3 Megapixel
High Speed Dome**1.3
MP****DVRs :**
4 Channels
Up To 16 Channels**Cloud
DVR***Supports: AHD,
Analog***AHD 8804-A
HDMI 720P****Channel 4****AHD HYBRID****AHD 8808-A
HDMI 720P****Channel 8****AHD HYBRID****AHD 8816-A
HDMI 720P****Channel 16****AHD HYBRID**

EN 7336T - *HD AHD Camera***Waterproof** 2.0 Megapixel - 36 LED, 2.8~12mm LENS**2.0
MP****EN-K735P**
AHD Camera Tester**EN 804L4- *HD AHD DOME Camera*****Waterproof** 2.0 Megapixel - 36 LED, 3.6mm LENS**2.0
MP****Cloud
DVR****DVRs :
4 Channels
& 8 Channels***Supports: AHD,
Analog***EN EU8804HD**
HDMI 1080P**Channel 4****AHD HYBRID****EN G1216H**
HDMI 1080P**Channel 8****AHD HYBRID**



EUSSOGUARD EN 748T 800TVL 3.6mm



EUSSOGUARD EN 610T 800TVL 3.6mm



EUSSOGUARD EN 102L2 1000TVL 3.6mm

EUSSOGUARD EN 8020CM

CCTV Dome Camera, 1/3"
3.6mm -800TVL



EUSSOGUARD EN 1300CM

CCTV Bullet Camera, 1/3"
3.6mm -800TVL



EUSSOGUARD EN 8136-HD

CCTV CCD Dome Camera
1000TVL 2.8~12mm



EUSSOGUARD EN 8054LI

CCTV Dome Camera, 1/3" 4mm



800TVL

1000TVL

EUSSOGUARD EN 5236TS

Bullet Metal Camera

700TVL - 3.6mm

+Microphone



EUSSOGUARD EN 9250TP

CCTV CCD Camera
420TVL 2.8~12mm

EN EU-213M

eyeFish Camera

360 degree - 1000 TVL



EUSSOGUARD EN 9250T-HD

CCTV CCD Camera 1/3"
Sony 1000TVL 2.8~12mm

EUSSOGUARD EN 9250T

CCTV CCD Camera 1/3"
Sony 700TVL 2.8~12mm

EUSSOGUARD EN 9136T

CCTV Sony Super HAD CCD Camera
700TVL 2.8~12mm



HIGH RESOLUTION

2.0
MP**HW19RC80-EP---** PoE
2.0 Mp - WDR-1080P/720P - Lens 3.6mm2.0
MP**HD18RC80-SEP ---** PoE
Dome 2.0 Mp WDR -1080P/720P - Lens 3.6mm3.0
MP**HD19RC83-EP- ---** PoE
3.0 Mp - 1080P/720P - Lens 3.6mm3.0
MP**HD18RC83-DE ---** With WDR
3.0 Mp - 1080P/720P - Lens 3.6mm3.0
MP**HW67RC83-P---** PoE
3.0 Mp - 1080P/720P - Lens 2.8mm~12mm2.0
MP**HW67RC80-P---** PoE
2.0 Mp -WDR -1080P/720P - Lens 2.8mm~12mm2.0
MP**67W-HDPTZ**
IP **PTZ** Camera 2M 26X Red ArrayAccess From Anywhere
... One Device Can Do it ALL

NVR : 8 Channels Up To 32 Channels

**Cloud NVR**
(z3808n)Channel **8****Cloud NVR**
(z3808n-p)Channel -4 PoE **8****Cloud NVR**
(z3816n)Channel **16****Cloud NVR**
(z3832n)Channel **32**



1080P Full HD Action Camera Sport DVR

Mini appearance, diversified colors available
A water-resistant casing that allows you
to film fascinating water sports

Accessories included:

Car power adaptor Mount,
USB Cable, HDMI Cable,
AV Cable

3MP- Wireless 140 degree

3MP- Wireless 170 degree



Available in: Pink, Silver, White, & Black



.Image Sensor: Aptina0330

.Lens Focal Length: Lens f= 2.99mm

F No.: F= 2.8

F.O.V(D): 170°

.LCD Display: 1.5" 960*240 dots matrix TFT LCD

.Focusing Type Fixed

.Exposure Control Programmed AE

Compensation: ± 2 EV (0.33 EV steps)

ISO Equivalent: Auto, 100, 200, 400

.White Balance: Auto / Cloudy / Daylight / Incandescent

.Shooting FHD 1080P Full HD: 1920*1080P 30 fps

Water Resistant 30M
1080P H.264 Full HD
1.5" LCD Screen



**Batteries
Available**

**IR110 IP ptz camera with dyndns ,1Mpixel H.264 indoor
2 way audio, micro SD-Wired & Wireless - HD Resolution**



Specifications

- Support 1 Way H.264 & 1 way MJPEG video stream simultaneously. Adopt mega pixels CMOS sensor, support 720p (1280*720)/640*360/320*240 video resolution.
- Sensors: 1/4 CMOS Sensor
- The Minimum illumination: 0.5lux@550mm
- Pan/Tilt Angle: Horizontal: 270 Degree & Vertical:120 Degree
- Infrared Light:11 IR LEDs, Night Visibility up to 10 meters
- Alarm Input: 1 Channel on/off input
- Alarm Output: 1 Channel 5V relay output




Features

- It adopts H.264&Mjpeg compression format.
- Simple & quick to setup, Friendly user interface.
- Day & night with 11 IR LEDs (night visibility up to 10 meters)
- Allow remote pan/Tilt control (Pan: 270 Degree & Tilt: 120Degree)
- Support IR & color filter change automatically, no any color difference.
- Allow remote viewing video & record from any internet connection.
- Wi-Fi compliant with IEEE 802.11b/g/n
- Multi level users access and management with password protection load.
- Enable user monitoring by user's Smartphones (Android/ Apples iphone).



- 1/3" 3.0 Megapixel Progressive Scan Aptina WDR CMOS sensor
- Ti DaVinci Series DSP
- H.264 & MJPEG dual-stream encoding
- Max 20fps @ 3.0MP (2048×1536)
- Dual encoding streams supported
- 2.8~12mm /F1.4 Manual lens
- 4 pcs Φ11 IR lights ,Max IR Distance :30m
- True WDR 120dB
- Day/Night Mode Auto dual IR-Cut filter
- Support Alarm I/O
- Micro SD Card
- IP66 all-environments protection
- Support DC12V power supply, PoE
- Resource: Simultaneous remote monitoring
local recording and remote control
- User Interface: WEB CMS NVR
- Electronic Shutter 1/5s to 1/50000s
- Signal Noise Ratio >50dB
- Gain Control Auto/Manual
- White Balance: Auto/Manual
- WDR Dynamic Range: 120dB
- Max IR Distance: 30m 4 pcs Φ11 IR lights
- Common Features: One button Reset Prevent Flicker Dual-stream
Heartbeat Password Protect Video cover Motion Alarm
ONVIF ONVIF Ver.2.4
- Max User Access: 10 users
- Smart phone Iphone Ipad Android



HIGH QUALITY



8056
600 TVL-3.6mm



SW20RT60
600 TVL-3.6mm



CW19RQ85
850 TVL-3.6mm



SD23RT70
700 TVL-4mm



SW23RT70
700TVL - 2.8~12mm

Special
For License
Plate



Led Array
SW27AT70
700 TVL-6~22mm



SD40RT42
420 TVL



SM35XT42
Hidden Camera



SW20RT42
420 TVL-6mm

Sony Original

Sony Original



Digital PTZ Dome Camera
Free IP telephone
Video call
Mobile communications
Record function
Remote Monitor (CCTV Monitor)
Wireless Alarm Alert
Support 32GB SDCard Recording IP Camera
Cloud Technology
Signal Systems: PAL/NTFS
WiFi - IR
Alarm Function
Wireless Learnable Sensors
Alarm Video Push technology

Package Includes: Sim Card-Remote Control
Wireless Door Sensor-Internal Siren 110dB

Wireless IP Video Phone Camera

This is a type of excellent intelligent home product specially designed for digital field. It introduces:

- .Embedded LINUX operating system which is more stable.
- .The technology of standard H.264 mp video compression format and G.711A audio compression format which insure the high-quality image, low-bit rate and single-frame playing.
- .Cloudlink P2P network transmission technology which achieves strong network data transmission ability and remote control ability.
- .Wireless learning codes technology and wireless detector.



Flexible Mounting Bracket

VSC-CD25

Car Camcorder
LCD 1.5" 5 MP CMOS



VSC-CD16

Car Camcorder
LCD 2.4" 2MP



With Remote Control

VSC-CD210

Car Camcorder
LCD 2" 3 MP
2 Way Camera



**GPS
Tracking**



- .The emergency recording file is saved .
- .The Camcorder captures the details of events
- .The Camera records Audio & video in full 1080p high definition so you capture key moments in crisp, clear detail.
- .Loop recording
- .G-Sensor built-in
- .Camera 120 degree
- .Memory card support
- .Automatically power on/off
- support auto ignition boot
- .Infrared Night Vision
- .Internal Battery

Track your delivery drivers by checking their records and the history of their routes, clients visits, and stop points.



7"

4.3"

Car Camera with LCD 4.3" & 7"**VC780****L**CD with TV 7" AV in**D**oor Camera With LCD 4.3"**VC980****L**CD with TV 10" AV in

420TVL Camera
Supports SD Card
Internal Record



EN 8020TF

Bullet Metal
Camera
700TVL +
Microphone



EN 5236TS

600TVL supports
SD Card
Internal Record



EN 9030TF

LED Array
Projector

EN 759-4LED



**MOTION
SENSOR**

Device does not emit light*



PIR Hidden Camera

Wireless With Microphone
SD Card 4GB **Included**
Remote Control **Included**
Adaptor **Included**
Internal Battery



Color Video Doorphone System 7"

Indoor Unit

- . 7" TFT LCD
- . Resolution: 1440x234
- . 5 Ringtones



Outdoor Unit

- 380 TVL
- Color Camera
- F2.8 Lens
- 78 degree
- 0.5 LUX



Color Video Doorphone System 4"

Indoor Unit

- . 4" LCD
- . Resolution: 480x234L
- . 5 Ringtones



Outdoor Unit

- 380 TVL
- Color Camera
- F6.0 Lens
- 58 degree
- 1.5 LUX



DVR CLOUD

Cloud



Eussoguard 7804D

4 Channel Video Inputs
& 1 Channel Audio Inputs.
D1 Realtime Recording
TV, VGA, HDMI

H4808BW

8 Channel Video Inputs
& 1 Channel Audio Inputs.
D1 Realtime Recording
TV, VGA, HDMI

5216E

16 Channel Video Inputs
& 4 Channel Audio Inputs.
D1 Realtime Recording
TV, VGA, HDMI

Cloud



EN- D0708D-E

8 Channel Video Inputs
& 1 Channel Audio Inputs.
CIF Realtime Recording
Or D1(4CIF) Recording With 6/7fps.
HDMI TV, VGA , USB2.0

Cloud



EN-D0716D-E

16 Channel Video Inputs
& 1 Channel Audio Inputs.
CIF Realtime Recording
Or D1(4CIF) Recording With 6/7fps.
HDMI TV, VGA, Spot , USB2.0 .
Main & Spot Output.



EN-7604C

4 Channel Video Inputs
& 4 Channel Audio Inputs.
D1 (4CIF) Realtime Recording.
TV, VGA , USB2.0




EN-7608C

8 Channel Video Inputs
& 8 Channel Audio Inputs.
D1 (4CIF) Realtime Recording.
TV, VGA , USB2.0



EN-7616C

16 Channel Video Inputs
& 4 Channel Audio Inputs.
D1(4CIF) Realtime Recording.
TV, VGA , USB2.0



EN Box-ASII TEST 2.5

CCTV Camera Test 2.5"
PTZ Control, DC out
UTP Test, Audio, Video Generator
With Bag



Connectors



EN BNC L CNTR



EN KD-DT23M-C Plastic BNC Female Per Piece



Plastic DC Male Connector

Plastic DC Female Connector

EN KD BM25M-F BNC CCTV Connector (Need NUT)



EN KD BT26F BNC NUT Connector

EN BNC RCA CNTR BNC RCA Connector From DVR To TV



Brackets

EN BRKT 1.5M

Metallic Silver
Long Bracket - From 1M Up To 1.5 Meter



EN LR DOME BRKT

Plastic Dome Bracket
For **Small** Dome
Black/white



Plastic Dome Bracket
For **Big** Dome
Black/white



EN C6 BRKT

Heavy Metallic Bracket
30CM Ivory



EN C2 BRKT

Metallic Bracket
20CM Black / White



KD-C701A

Housing For Box Camera



EN VideoBAL

Video Signal Amplifier (500 m)



UTP Video & Power Ballun

EN 15-1971

Video Transmitter Receiver
2W Room to Room
Sends sound and video, From DVR
system through walls, floors or ceilings
to a TV in another room.
Up to 100 feet away.



UTP Video & Power Ballun

EN LR BALUN 1000

Balun 4 Channel 1000M

.RX40B Balun 4 Channel AHD

EN LR BALUN 200

Balun 1 Channel 200M





Combo: 1x DVR+4CCTV+Cables+Adaptors + Remote Control + Mouse

1. Adopts the standard Main profile H.264 compression technology, D1/CIF can be adjusted supports 4ch recording, network transmission, and playback simultaneously
2. Supports dual-stream transmission for all channels
3. Supports Multiplex operation: live, record, playback, backup, network transmission, mobile phone surveillance
4. Supports backup with USB Flash Disk, Movable hard disk, USB writer, Network
5. Supports 1channel. Main output, 1channel. VGA output
6. Supports video channel hidden and S.E.Q for single channel
7. Supports Digital Zoom and PIP preview
8. Supports password watermark function to avoid data modification
9. Supports Email alarm
10. Mobile phone surveillance (Win CE/Symbian/iPhone/Blackberry)
11. Supports PTZ preset and Cruise Control
12. Supports Multi-language OSD
13. Central management software and Networked system management
14. Supports mouse, remoter control, panel operating



Adopts H.264
compression
technology
for video coding
and decoding



Motion Detection
& alarm Recording



IE Browser
Remote
Monitoring



Centralized
Management
Platform

**With Internet
& 3G Phone Viewing**



**HM-TKB-02**

Heavy Duty Crimping Tool ,
Cable -Stripping Tool,
Punching Tool, RJ 11 & 45
UTP Connectors, Carrying Case

HM-TK568RT

Hand Tools, Combination,
crimping tool stripper
Cutter Blade

**HM-TKB01**

Hand Tools, Combination,
Screwdrivers, Crimping Tool Cutter
Stripper two screwdrivers
one tester

**HM-TK8500**

Heavy Duty Crimping Tool , Cable -
Stripping Tool, Punching Tool, Cable Tester
RJ-45 UTP Connectors, Carrying Case

**HM-TK315**

Heavy Duty Crimping Tool , Cable -
Stripping Tool, Punching Tool, Cable Tester
RJ 11 & 45 UTP Connectors, Carrying Case

**HM-TK4015**

Crimper, Cutter, Stripper,
PD Tool, Blade, Coax. Stripper,
DIE Set, Tester, Screwdriver

**TEL-TKB02**

Crimping Tool: RJ45/RJ11/RJ12
Punching Tool
Stripper: Universal stripping tool
Connector: Modular plug

Material: Plastic
Size: 330(L)x240(W)x70(H) mm



**Functions:**

Trace telephone wire/LAN cable, Trace wire in electrical system, Verify LAN cable condition, Continuity test, Low battery indication, Bright white LED flash light, Cable Assignment Test, Cable State Testing



Wire Tracker
XQ-350



Underground Wire tracker
NF-816

Functions:

- Tracking & Locating underground, buried wires and otehr hidden wires.
- Locating Alarm, Sound & computer Wires
- Measuring depth up to 0.8M
- Locating Circuit Breakers

Functions:

Directly hunt 5E, 6E, telephone, coaxial, USB and othe cables, Check wire errors. Length meeasurment: network cable, telephone cable. Automatically time-delay shutt off & Backlight



Wire tracker
NF-308



HM-TL568R

Dual -Modular Crimping Tool

HM-TL2810R


(CAT6) Multi Modular Crimping Tool



HM-TL022

The Crimping & Cable Testing Solution

With Exit Button & Intelligent Reader:
Card, Keypad or Biometric



Door Access Control

- . With Exit Button
- . Intelligent Reader:

Card, Keypad or Biometric



Glass lock small accessor adapter

Reader for ID card

S203 aluminium lock or up side wall down side glass lock

Plastic access control UDC-701

Reader for IC card

Magnetic lock 2807

E818 lock for glass up and down

Controller 1 relais

Controller 4 relais

Keypad

Biometric Card

Exit Button

Magnetic Lock

XP-1 Wireless Alarm System



E1 Wireless Alarm System



1. Touch keypad; LCD displays Date, Day of the week, Time, and current Armed Status
2. Alarm info transferring by GSM &/or PSTN network (Phone call, SMS)
4. 116 wireless sensores and 2 dedicated zones for remotes
5. Intelligent logic analysis technology, corresponding zone number and sensor name can be displayed.
6. Records up to a 10 second greeting for the auto-dialer, Then play the greeting back.
7. Arm\ Disarm the system by 5 ways: SMS, Main Host(Keypad), Wireless Keypad, Keychain Remotes, or even remotely by phones.
8. Available in AC\DC with Low-voltage Indicators
9. Checks door\window status automatically
10. Built-in Li-Ion backup battery, it will alert when low power or without external power supply.
11. Stores up to 100 alarm record & 100 Arm/Disarm records
12. indoor Siren, PIR Detector, Control Door Sensor, 2x Remote Control 0 alarm records and 100 arm\disarm records

XSJ-2J Wireless Repeater



XSJ-83 Wireless Smoke Detector



XSJ-80LF

Wireless Intelligent PIR Detector



XSJ-103-HA

Wireless Outdoor Siren



Remote Control



XSJ-87

Wireless Intelligent Control Door Sensor



WG 500P

Wireless subscriber gateway with built-in thermal printer to generate user's account for internet access

**Ideal For
Coffee Shops
Hotels
Hospitals
& Restaurants**

WG 604

Wireless Subscriber Gateway the powerful WiFi hotspot billing gateway solution for B&B, coffee shop/restaurant, and campus library/dormitory



WG 500P

Compatible with IEEE802.11n/b/g , Wireless 2T2R 2.4GHz with 300Mbps high speed network
Support WPA/WPA2 Encryption
Multiple languages support
For ticket printout format, language support available in English/ German/ French/ Spanish Portuguese/ Italian languages



WG 604

Add wireless Internet connections for your handheld devices and laptop needs in the café and apartment.
Café WiFi HotSpot Billing
WiFi subscriber gateway for connecting your iPhone, iPad and Android smart phones!
Secure Internet: Enable you to control guests' WiFi bandwidth and security by the functions of real-time session limit and remote authorized management.
Easy to Use, IP Plug and Play Internet Access
Zero configuration Internet access! Connect your handheld devices to the network. It will automatically configure itself for the network.
Web-based management
Manage your WiFi account service easily and customizable login pages to enhance your brand image.



TYP200
Solar Panel
30V/200, 6.67Amp



TY-081A
Daily Power 2000W
Solar 300W Included
Inverter 600W Included

TY-081B
Daily Power 2000W
Solar 400W Included
Inverter 600W Included



TY-05A
Solar Bag
Daily Power 120W
Solar 20W Included
Charging All Smartphones & Tablets
Inverter 300W (Fixed Wave) Included
Batteries Included 12 AH



Solar Bag TY-05B
Solar Bag
Daily Power 240W
Solar 40W Included
Charging All Smartphones & Tablets
Inverter 300W (Sine Wave) Included
Batteries Included 12 AH



Solar TY-050C
Mobile Solar Kit
Daily Power 25W
Solar 4W Included
2 LED Lamps
Charging All Smartphones & Tablets
Batteries Included 3 AH



TY050A
Daily Power 90W
With Remote Control
2 LED Lamps
Charging All Smartphones
& Tablets
Solar 15W Included
Batteries Included 7 AH

TY055C
Daily Power 300W
With Remote Control
Charging All Smartphones
& Tablets
Solar 40W Included
Batteries Included

TY055D
Daily Power 600W
With Remote Control
Charging All Smartphones
& Tablets
Solar 100W Included
Batteries Included



EN6000T
Power Bank With Solar
Batteries Included 6000 mAH
2x Output 1*5V /1A & 1*5V/2A
LED Battery indicator

LED Rainbow Board Display

40*50 cm

LED Rainbow boards

60*80 cm

LED Rainbow boards

100*80 cm

LED Rainbow boards

**ABS (unbreakable)
With Stand**



**Pen For Rainbow
Board**
Multicolors Available

LED Boards & Display



EN LED DISPLAY 20*100 RGO RGB Semi-OUTDOOR

EN LED DISPLAY 20*100 RO RED Semi-OUTDOOR



Airwheel Self Balance Electric **Unicycle** Scooter



- 1-Running Distance: 20KM
- 2-Charging Time: 5Hours
- 3-Climbing: 18°

- 4-Foldable
- 5-Speed: 12KM/h
- 6-Max loading: 100Kg

EN KE-03



Electric Self Balancing Scooters



- ✓Environment protection and low carbon consumption
- ✓Reduce transportation time & money and helps you avoid the city traffic
- ✓It's the best way to promote products in exhibitions because of its eye catching model

- 1-Running Distance: 30KM
- 2-Charging Time: 4Hours
- 3-Climbing: 30°
- 4-Foldable
- 5-Tire: 19CM Tire
- 6-Speed: 18km/h
- 7-Max loading: 130KG
- 8-Motor: 1000WX2


EN WMT9



- Available in:
Yellow, Red, Blue, White
- >2x Wireless Remote controls
- >Alarm system enable/disable

Both Products Features

- 1. LED linear light
- 2. LCD Screen for battery condition
- 3. Excellent climbing ability with powered lithium cell and high efficient motor
- 4. Environmentally friendly
- 5. Over-speed alert and speed control to protect drivers



High Speed Barriers

3Meters (1.5s)

5Meters (3s)

6Meters (6s)



For Parkings, Buildings, Hospitals, Gardens, & Others



Swing Gate .. 2x Motors

1x Control Box

2x Remote Control

1x All Mounting Hardware




Slide Gate Motor With Control Unit Inside

2x Remote Controles

2x Keys

1x Alley Key

1x Limit Switch



CAS-CWS-1

U-Type Manual Parking Lock
600x460x45xH420mm



CAS-CWS-2

K-Type Manual Parking Lock
1000x200x80xH480mm



CAS-CWS-8

Bollard Parking Lock
8.9 inch x H700mm



B Remote Control Parking Lock

430x320x105mm

Locking High: 430mm

Remote Distance ≤ 50m

Up & Down: 5s - 6S

Environment Temperature: -30~+65

2mm Steel Rolling

Spraying Plastic Coating, Collision



Remote Rotation





EN-CAS-LG-1
Rubber Speed Hump
500x430x50mm

EN-CAS-LG-2
Rubber Speed Hump
250x350x50mm

End

Middle

End



EN-CAS-LG-6 PE
Speed Hump
500x300x30mm

ENCAS-LG-9
Rubber Rumble Strip



CAS-LG-3
Rubber speed Hump





EN-CAS-DWQ-5

Rubber Wheel
Stopper
2000x160x100mm




EN-CAS-DWQ-9

Rubber Wheel Stopper
600x160x100mm



EN-CAS-DWQ-1

Rubber Wheel
Stopper
560x160x110mm



EN-CAS-DWQ-6
Grind Sand Wheel
Stopper
560x160x110mm



Catalogue Download



info@eussonet.com

www.eussonet.com

Available At: